

▼B

## ANNEX II

## PART A

**HARMFUL ORGANISMS WHOSE INTRODUCTION INTO, AND SPREAD WITHIN,  
ALL MEMBER STATES SHALL BE BANNED IF THEY ARE PRESENT ON CERTAIN  
PLANTS OR PLANT PRODUCTS**

## Section I

**HARMFUL ORGANISMS NOT KNOWN TO OCCUR IN THE COMMUNITY AND  
RELEVANT FOR THE ENTIRE COMMUNITY**

(a) **Insects, mites and nematodes, at all stages of their development**

Species	Subject of contamination
1. <i>Aculops fuchsiae</i> Keifer	Plants of <i>Fuchsia</i> L., intended for planting, other than seeds
2. <i>Aleurocantus</i> spp.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
3. <i>Anthonomus bisignifer</i> (Schenkling)	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
4. <i>Anthonomus signatus</i> (Say)	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
5. <i>Aonidella citrina</i> Coquillet	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
6. <i>Aphelenchoides besseyi</i> Christie (*)	Seeds of <i>Oryza</i> spp.
7. <i>Aschistonyx eppoi</i> Inouye	Plants of <i>Juniperus</i> L., other than fruit and seeds, originating in non-European countries
8. <i>Bursaphelenchus xylophilus</i> (Steiner and Buhere) Nickle <i>et al.</i>	Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruit and seeds, and wood of conifers ( <i>Coniferales</i> ), originating in non-European countries
9. <i>Carposina niponensis</i> Walsingham	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
10. <i>Diaphorina citri</i> Kuway	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, and <i>Murraya</i> König, other than fruit and seeds
11. <i>Enarmonia packardi</i> (Zeller)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
12. <i>Enarmonia prunivora</i> Walsh	Plants of <i>Crataegus</i> L., <i>Malus</i> Mill., <i>Photinia</i> Ldl., <i>Prunus</i> L. and <i>Rosa</i> L., intended for planting, other than seeds, and fruit of <i>Malus</i> Mill. and <i>Prunus</i> L., originating in non-European countries
13. <i>Eotetranychus lewisi</i> McGregor	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

▼A1

▼B

Species	Subject of contamination
15. <i>Grapholita inopinata</i> Heinrich	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
16. <i>Hishomonus phycitis</i>	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
17. <i>Leucaspis japonica</i> Ckll.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
18. <i>Listronotus bonariensis</i> (Kuschel)	Seeds of <i>Cruciferae</i> , <i>Gramineae</i> and <i>Trifolium</i> spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand and Uruguay
19. <i>Margarodes</i> , non-European species, such as: (a) <i>Margarodes vitis</i> (Phillipi) (b) <i>Margarodes vredendalensis</i> de Klerk (c) <i>Margarodes prieskaensis</i> Jakubski	Plants of <i>Vitis</i> L., other than fruit and seeds
20. <i>Numonia pyrivorella</i> (Matsumura)	Plants of <i>Pyrus</i> L., other than seeds, originating in non-European countries
21. <i>Oligonychus perditus</i> Pritchard and Baker	Plants of <i>Juniperus</i> L., other than fruit and seeds, originating in non-European countries
22. <i>Pissodes</i> spp. (non-European)	Plants of conifers ( <i>Coniferales</i> ), other than fruit and seeds, wood of conifers ( <i>Coniferales</i> ) with bark, and isolated bark of conifers ( <i>Coniferales</i> ), originating in non-European countries
23. <i>Radopholus citrophilus</i> Huettel Dickson and Kaplan	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds, and Plants of <i>Araceae</i> , <i>Marantaceae</i> , <i>Musaceae</i> , <i>Persea</i> spp., <i>Strelitziaceae</i> , rooted or with growing medium attached or associated
24. <i>Saissetia nigra</i> (Nietm.)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
25. <i>Scirtothrips aurantii</i> Faure	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
26. <i>Scirtothrips dorsalis</i> Hood	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
27. <i>Scirtothrips citri</i> (Moultex)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
28. <i>Scolytidae</i> spp. (non-European)	Plants of conifers ( <i>Coniferales</i> ), over 3 m in height, other than fruit and seeds, wood of conifers ( <i>Coniferales</i> ) with bark, and isolated bark of conifers ( <i>Coniferales</i> ), originating in non-European countries
29. <i>Tachypterellus quadrigibbus</i> Say	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
30. <i>Toxoptera citricida</i> Kirk.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

**▼B**

Species	Subject of contamination
31. <i>Trioza erytreae</i> Del Guercio	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids and <i>Clausena</i> Burm. f., other than fruit and seeds
32. <i>Unaspis citri</i> Comstock	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

(\*) *Aphelenchoides besseyi* Christie is not present on *Oryza* spp. in the Community

**(b) Bacteria**

Species	Subject of contamination
1. Citrus greening bacterium	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
2. Citrus variegated chlorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
3. <i>Erwinia stewartii</i> (Smith) Dye	Seeds of <i>Zea mais</i> L.
4. <i>Xanthomonas campestris</i> (all strains pathogenic to Citrus)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
5. <i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye and pv. <i>oryzicola</i> (Fang. <i>et al.</i> ) Dye	Seeds of <i>Oryza</i> spp.

**(c) Fungi**

Species	Subject of contamination
1. <i>Alternaria alternata</i> (Fr.) Keissler (non-European pathogenic isolates)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L. intended for planting, other than seeds, originating in non-European countries
▼M3 1.1. <i>Anisogramma anomala</i> (Peck) E. Müller	Plants of <i>Corylus</i> L., intended for planting, other than seeds, originating in Canada and the United States of America
▼B 2. <i>Apiosporina morbosa</i> (Schwein.) v. Arx	Plants of <i>Prunus</i> L. intended for planting, other than seeds
3. <i>Atropellis</i> spp.	Plants of <i>Pinus</i> L., other than fruit and seeds, isolated bark and wood of <i>Pinus</i> L.
▼M12 4. <i>Ceratocystis virescens</i> (Davidson) Moreau	Plants of <i>Acer saccharum</i> Marsh., other than fruit and seeds, originating in the USA and Canada, wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface, originating in the USA and Canada
▼B 5. <i>Cercoseptoria pini-densiflorae</i> (Hori and Nambu) Deighton	Plants of <i>Pinus</i> L., other than fruit and seeds, and wood of <i>Pinus</i> L.

▼B

	Species	Subject of contamination
6.	<i>Cercospora angolensis</i> Carv. and Mendes	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
7.	<i>Ciborinia camelliae</i> Kohn	Plants of <i>Camelia</i> L., intended for planting, other than seeds, originating in non-European countries
8.	<i>Diaporthe vaccinii</i> Shaer	Plants of <i>Vaccinium</i> spp., intended for planting, other than seeds
9.	<i>Elsinoe</i> spp. Bitanc. and Jenk. Mendes	Plants of <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds and plants of <i>Citrus</i> L. and their hybrids, other than seeds and other than fruits, except fruits of <i>Citrus reticulata</i> Blanco and of <i>Citrus sinensis</i> (L.) Osbeck originating in South America
10.	<i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kilian and Maire) Gordon	Plants of <i>Phoenix</i> spp., other than fruit and seeds
11.	<i>Guignardia citricarpa</i> Kiely (all strains pathogenic to Citrus)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
12.	<i>Guignardia piricola</i> (Nosa) Yamamoto	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
13.	<i>Puccinia pittieriana</i> Hennings	Plants of <i>Solanaceae</i> , other than fruit and seeds
14.	<i>Scirrhia acicola</i> (Dearn.) Siggers	Plants of <i>Pinus</i> L., other than fruit and seeds
15.	<i>Venturia nashicola</i> Tanaka and Yamamoto	Plants of <i>Pyrus</i> L., intended for planting, other than seeds, originating in non-European countries

(d) **Virus and virus-like organisms**

	Species	Subject of contamination
1.	Beet curly top virus (non-European isolates)	Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds
2.	Black raspberry latent virus	Plants of <i>Rubus</i> L., intended for planting
3.	Blight and blight-like	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
4.	Cadang-Cadang viroid	Plants of <i>Palmae</i> , intended for planting, other than seeds, originating in non-European countries
5.	Cherry leafroll virus (*)	Plants of <i>Rubus</i> L., intended for planting
6.	Citrus mosaic virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
7.	Citrus tristeza virus (non-European isolates)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
8.	Leprosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids, other than fruit and seeds

## ▼ B

Species	Subject of contamination
9. Little cherry pathogen (non-European isolates)	Plants of <i>Prunus cerasus</i> L., <i>Prunus avium</i> L., <i>Prunus incisa</i> Thunb., <i>Prunus sargentii</i> Rehd., <i>Prunus serrula</i> Franch., <i>Prunus serrulata</i> Lindl., <i>Prunus speciosa</i> (Koidz.) Ingram, <i>Prunus subhirtella</i> Miq., <i>Prunus yedoensis</i> Matsum., and hybrids and cultivars thereof, intended for planting, other than seeds
10. Naturally spreading psorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
11. Palm lethal yellowing mycoplasma	Plants of Palmae, intended for planting, other than seeds, originating in non-European countries
12. Prunus necrotic ringspot virus (**)	Plants of <i>Rubus</i> L., intended for planting
13. Satsuma dwarf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
14. Tatter leaf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
15. Witches' broom (MLO)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

(\*) Cherry leaf roll virus is not present in *Rubus* L. in the Community.

(\*\*) Prunus necrotic ringspot virus is not present in *Rubus* L. in the Community.

## Section II

## HARMFUL ORGANISMS KNOWN TO OCCUR IN THE COMMUNITY AND RELEVANT FOR THE ENTIRE COMMUNITY

## (a) Insects, mites and nematodes, at all stages of their development

Species	Subject of contamination
1. <i>Aphelenchoides besseyi</i> Christie	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
2. <i>Daktulosphaira vitifoliae</i> (Fitch)	Plants of <i>Vitis</i> L., other than fruit and seeds
3. <i>Ditylenchus destructor</i> Thorne	Flower bulbs and corms of <i>Crocus</i> L., miniature cultivars and their hybrids of the genus <i>Gladiolus</i> Tourn. ex L., such as <i>Gladiolus callianthus</i> Marais, <i>Gladiolus colvillei</i> Sweet, <i>Gladiolus nanus</i> hort., <i>Gladiolus ramosus</i> hort., <i>Gladiolus tubergenii</i> hort., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Trigridia</i> Juss, <i>Tulipa</i> L., intended for planting, and potato tubers ( <i>Solanum tuberosum</i> L.), intended for planting
4. <i>Ditylenchus dipsaci</i> (Kühn) Filipjev	Seeds and bulbs of <i>Allium ascalonicum</i> L., <i>Allium cepa</i> L. and <i>Allium schoenoprasum</i> L., intended for planting and plants of <i>Allium porrum</i> L., intended for planting, bulbs and corms of <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston 'Golden Yellow', <i>Galanthus</i> L., <i>Galtonia candicans</i> (Baker) Decne, <i>Hyacinthus</i> L., <i>Ismene</i> Herbert, <i>Muscari</i> Miller, <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Tulipa</i> L., intended for planting, and seeds of <i>Medicago sativa</i> L.